



### STRIPED FRUIT FLY HOST LIST:

Below are the recorded hosts for *Bactrocera scutellata*, all in the family Cucurbitaceae except for *Pyrus communis* (Rosaceae)\* and *Solanum melongena* (Solanaceae). \* = record is considered doubtful.

<u>Host Scientific Name</u>	<u>Common Name</u>	<u>Plant Part Affected</u>
<i>Cucumis sativus</i>	cucumber	fruit
<i>Curcubita moschata</i>	butternut squash, pumpkin	ungalled male flower buds
<i>Curcubita pepo</i>	pumpkin	ungalled male flower buds
<i>Diplocyclos palmatus</i>	a gourd	flower and stem galls of gall midges
* <i>Pyrus communis</i>	pear	fruit
<i>Solanum melongena</i>	eggplant	fruit
<i>Trichosanthes cucumeroides</i>	a gourd	flower and stem galls of gall midges
<i>Trichosanthes kirilowii</i>	guālóu	ungalled male flower buds and fruit
<i>Trichosanthes laceribracteata</i>	a gourd	ungalled male flower buds
<i>Trichosanthes miyagii</i>	a gourd	ungalled male flower buds
<i>Trichosanthes multiloba</i>	a gourd	ungalled male flower buds
<i>Trichosanthes ovigera</i>	a gourd	ungalled male flower buds, flower and stem galls of gall midges
<i>Zehneria liukuensis</i>	a gourd	flower and stem galls of gall midges